

SEQUENCE LISTING

<110> Ho, Chien
Tsai, Ching-Hsuan
Fang, Tsuei-Yun
Shen, Tong-Jian

<120> Low Oxygen Affinity Mutant Hemoglobins

<130> 2000-02

<140> US 09/598,218

<141> 2000-06-21

<160> 7

<170> PatentIn Ver. 2.1

<210> 1

<211> 28

<212> DNA

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence: Primer to
introduce betaN108Q mutation into plasmid pHE2

<400> 1

cgtctgctgg gtcaggtact agtttgcg

28

<210> 2

<211> 30

<212> DNA

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence: Primer to
introduce mutation alphaD94A into plasmid pHE2

<400> 2

ctgcgtgttg ctccggtcaa cttcaaactg

30

<210> 3

<211> 29

<212> DNA

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence: Primer to
introduce betaL105W mutation into plasmid pHE2

<400> 3

ggaaaacttc cgatggctgg gtaacgtac

29

<210> 4

<211> 27

<212> DNA

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence: Primer to
introduce betaN108Q mutation into plasmid pHE7

<400> 4

acagaccagt acttgtccca ggagcct

27

<210> 5

<211> 1140

<212> DNA

<213> Human

<400> 5

aaatgagctg ttgacaatta atcatcggct cgtataatgt gtggaattgt gagcggataa 60
caatttcaca caggaaacag aattcgagct cggtaaccgg gctacatgga gattaactca 120
atctagaggg tattaataat gtatcgctta aataaggagg aataacatat ggtgctgtct 180
cctgccgaca agaccaacgt caaggccgcc tggggttaagg tcggcgcgca cgctggcgag 240
tatggtgcgg aggccttggg gaggatgttc ctgtccttcc ccaccaccaa gacctacttc 300
ccgcacttcg atctgagcca cggctctgcc cagggttaagg gccacggcaa gaaggtggcc 360
gacgcgctga ccaacgcgct ggcgcacgtg gacgacatgc ccaacgcgct gtccgccttg 420
agcgacctgc acgcgcacaa gcttcgggtg gaccgggtca acttcaagct cctaagccac 480
tgccctgctg tgacctggc cgcacacctc cccgccgagt tcacctctgc ggtgcacgcc 540
tccctggaca agttcctggc ttctgtgagc accgtgctga cctccaaata ccgttaaact 600
agagggtatt aataatgtat cgcttaaata aggaggaata acatatggtg cacctgactc 660
ctgaggagaa gtctgccgtt actgcctgtt ggggcaaggt gaacgtggat gaagttggtg 720
gtgaggccct gggcaggctg ctggtggtct acccttgac ccagaggttc tttgagtcct 780
ttggggatct gtccactcct gatgctgta tgggcaaccc taaggtgaag gctcatggca 840
agaaagtgtc cggtgctttt agtgatggc tggctcacct ggacaacctc aagggcacct 900
ttgccacact gagtgagctg cactgtgaca agctgcacgt ggatcctgag aacttcaggc 960
tccctggaca agtactggtc tgtgtgctgg cccatcactt tggcaaagaa ttcacccac 1020
cagtgcaggc tgcctatcag aaagtgggtg ctggtgtggc taatgccttg gccacaagt 1080
atcactaagc atgcatctgt tttggcggat gagagaagat tttcagcctg atacagatta 1140

<210> 6
<211> 36
<212> DNA
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence: Primer to
introduce betaL105W mutation into plasmid pHE7

<400> 6
cctgagaact tcaggtggct aggcaacgtg ctggtc

36

<210> 7
<211> 1140
<212> DNA
<213> Human

<400> 7
aaatgagctg ttgacaatta atcatcggct cgtataatgt gtggaattgt gagcggataa 60
caatttcaca caggaaacag aattcgagct cggtagccgg gctacatgga gattaactca 120
atctagagggg tattaataat gtatcgctta aataaggagg aataacatat ggtgctgtct 180
cctgccgaca agaccaacgt caaggccgcc tggggtaagg tcggcgcgca cgctggcgag 240
tatggtgcgg aggccctgga gaggatgttc ctgtccttc ccaccaccaa gacctacttc 300
ccgcacttcg atctgagcca cggctctgcc cagggttaagg gccacggcaa gaagggtggcc 360
gacgcgctga ccaacgccgt ggcgcacgtg gacgacatgc ccaacgcgct gtccgccctg 420
agcgacctgc acgcgcacaa gcttcgggtg gaccgggtca acttcaagct cctaagccac 480
tgctgtctgg tgacctggc cgcacacctc ccgcgcgagt tcacctctgc ggtgcacgcc 540
tccttgga agttcctggc ttctgtgagc accgtgctga cctccaaata ccgttaaact 600
agaggggtatt aataatgtat cgcttaaata aggaggaata acatatggtg cacctgactc 660
ctgaggagaa gtctgccgtt actgccctgt ggggcaagg gaacgtggat gaagttggtg 720
gtgaggccct gggcaggctg ctggtggtct acccttgga ccagagggtt tttgagtcct 780
ttggggatct gtccactcct gatgctgtta tgggcaaccc taagggtgaag gctcatggca 840
agaaagtgtc cgggtgccttt agtgatggc tggctcacct ggacaacctc aagggcacct 900
ttgccacact gagtgaactg cactgtgaca agctgcacgt ggatcctgag aacttcaggt 960
ggctaggcaa cgtgctggtc tgtgtgctgg cccatcactt tggcaaagaa ttcacccac 1020
cagtgcaggc tgctatcag aaagtgggtg ctggtgtggc taatgcctg gccacaagt 1080
atcactaagc atgcatctgt tttggcggt gagagaagat tttcagcctg atacagatta 1140